

Day: Tuesday Date: 3/18/2008

Time: 17:08:20

## Inventor Name Search Result

Your Search was:

Last Name = SATO

First Name = HIROYUKI

| Application#    | Patent#       | Status | Date Filed | Title   | Inventor<br>Name  |
|-----------------|---------------|--------|------------|---|-------------------|
| 06259434        | 4351920       | 150    | 05/01/1981 | THERMOPLASTIC RESIN<br>COMPOSITION  | SATO,<br>HIROYUKI |
| <u>06286856</u> | Not<br>Issued | 161    | 07/27/1981 | PROCESS FOR PRODUCING<br>THERMOPLASTIC RESIN FOAM   | SATO,<br>HIROYUKI |
| 06462336        | Not<br>Issued | 166    | 01/31/1983 | PROCESS FOR PRODUCING<br>THERMOPLASTIC RESIN FOAM   | SATO,<br>HIROYUKI |
| 06503167        | 4456732       | 150    | 06/10/1983 | THERMOPLASTIC RESIN<br>COMPOSITION HAVING IMPROVED<br>WELD STRENGTH   | SATO,<br>HIROYUKI |
| 06724509        | 4596832       | 150    |            | PROCESS FOR PRODUCING<br>THERMOPLASTIC RESIN FOAM   | SATO,<br>HIROYUKI |
| 06757498        | 4627307       | 150    |            | FIBER-REINFORCED PLASTIC CORE<br>MATERIAL FOR STEERING WHEELS   | SATO,<br>HIROYUKI |
| 06870184        | 4743985       | 150    | 06/03/1986 | IN A VIDEO TAPE RECORDER HAVING<br>ROTARY RECORDING, AUXILIARY<br>AND ERASING HEADS, A CIRCUIT FOR<br>SHORT CIRCUITING THE AUXILIARY<br>HEAD DURING ERASING             | SATO,<br>HIROYUKI |
| 06872861        | 4682245       | 150    | 06/11/1986 | VIDEO AND AUDIO SIGNAL<br>RECORDING ,REPRODUCING AND<br>EDITING APPARATUS WITH<br>REPLACEMENT OF VIEWED<br>LUMINANCE SIGNAL COMPONENT<br>DURING INSERT AUDIO EDING MODE | SATO,<br>HIROYUKI |
| 06875538        | 4748517       | 150    | 06/18/1986 | PCM AUDIO SIGNAL REPRODUCING<br>APPARATUS   | SATO,<br>HIROYUKI |
| 06908344        | 4859101       | 150    | 09/17/1986 | DEVICE FOR COOLING A CARRIAGE<br>MOTOR AND PRINTHEAD IN A SERIAL<br>PRINTER   | SATO,<br>HIROYUKI |
| 06914221        | 4802167       | 150    | 10/02/1986 | DATA MONITOR APPARATUS  | SATO,<br>HIROYUKI |
| 06914685        | 4745621       | 150    | 10/02/1986 | METHOD OF AND APPARATUS FOR   | SATO,             |

|          |               |     |            | DETECTING MINIMUM BIT NUMBER<br>OF RECEIVED DATA   | HIROYUKI          |
|----------|---------------|-----|------------|--|-------------------|
| 07112096 | Not<br>Issued | 161 | 10/21/1987 | INK RIBBON CASSETTE  | SATO,<br>HIROYUKI |
| 07135842 | 4875789       | 150 | II I       | INK RIBBON CASSSETTE WITH<br>SLIDABLE RIBBON GUIDE   | SATO,<br>HIROYUKI |
| 07160702 | 4843195       | 150 | 02/26/1988 | SWITCH HAVING DUST-PROOF COVER   | SATO,<br>HIROYUKI |
| 07160915 | Not<br>Issued | 166 | 02/26/1988 | SWITCH DEVICE  | SATO,<br>HIROYUKI |
| 07170920 | 4947008       | 150 | 03/17/1988 | SWITCH DEVICE  | SATO,<br>HIROYUKI |
| 07235350 | 4904833       | 150 | 08/23/1988 | SWITCH DEVICE WITH AUTOMATIC<br>NEUTRAL POINT RESTORING<br>POSITION AND RELEASABLY<br>LOCKABLE NONNEUTRAL POSITION | SATO,<br>HIROYUKI |
| 07349880 | 4978823       | 150 | 05/09/1989 | SEESAW-TYPE SWITCH DEVICE<br>HAVING A SNAP-COUPLED<br>ACTUATOR   | SATO,<br>HIROYUKI |
| 07381837 | 4996067       | 250 | 07/19/1989 | FEED ADDITIVE FOR RUMINANTS  | SATO,<br>HIROYUKI |
| 07416893 | Not<br>Issued | 166 | 10/04/1989 | PAPER RETAINING MECHANISM  | SATO,<br>HIROYUKI |
| 07416895 | 5015104       | 150 | 10/04/1989 | SHAFT BEARING STRUCTURE  | SATO,<br>HIROYUKI |
| 07421869 | 5011313       | 150 | 10/16/1989 | PAPER FEED MECHANISM FOR A<br>PRINTER  | SATO,<br>HIROYUKI |
| 07440374 | 4997834       | 150 | II I       | TRANS-4-AMINO(ALKYL)-1-<br>PYRIDYLCARBAMOYLCYCLOHEXANE<br>COMPOUNDS AND PHARMACEUTICAL<br>USE THEREOF              |                   |
| 07442045 | 5026175       | 150 | 11/27/1989 | SHAFT SUPPORTING STRUCTURE   | SATO,<br>HIROYUKI |
| 07447289 | 5074688       | 150 | 12/07/1989 | STRUCTURE FOR MOUNTING<br>PRINTING HEAD  | SATO,<br>HIROYUKI |
| 07492706 | 5114254       | 150 | 03/13/1990 | HAVING MEANS TO FEED BOTH<br>FABRIC AND FLIM RIBBONS   | SATO,<br>HIROYUKI |
| 07599133 | 5161130       | 150 | 10/17/1990 | CLOCK WITH OPENABLE DIAL PIECES  | SATO,<br>HIROYUKI |
| 07622659 | 5205655       | 150 | 12/05/1990 | SHAFT SUPPORTING STRUCTURE   | SATO,<br>HIROYUKI |
| 07650844 | 5124721       | 150 | 02/04/1991 | RECORDING SHEET AND INK JET<br>RECORDING METHOD USING THE<br>SAME  | SATO,<br>HIROYUKI |

| 07677480 | 5178946       | 150 | 03/29/1991 | RESIN LAMINATES   | SATO,<br>HIROYUKI |
|----------|---------------|-----|------------|---|-------------------|
| 07692426 | 5113205       | 150 | 04/29/1991 | INK JET HEAD  | SATO,<br>HIROYUKI |
| 07726968 | Not<br>Issued | 166 | 07/08/1991 | BASIC CELL AND ARRANGEMENT<br>STRUCTURE THEREOF   | SATO,<br>HIROYUKI |
| 07740646 | 5078524       | 150 | 07/31/1991 | PAPER RETAINING MECHANISM   | SATO,<br>HIROYUKI |
| 07753447 | 5096775       | 150 | 08/30/1991 | RESIN LAMINATE  | SATO,<br>HIROYUKI |
| 07816896 | 5282135       | 150 | II         | STEERING HANDLE POSITION SENSOR<br>CHECKING APPARATUS   | SATO,<br>HIROYUKI |
| 07816898 | 5283740       | 150 | II         | STEERING HANDLE POSITION SENSOR<br>CHECKING APPARATUS   | SATO,<br>HIROYUKI |
| 07820379 | 5227166       | 150 | 01/14/1992 | FEED ADDITIVE FOR RUMINANTS   | SATO,<br>HIROYUKI |
| 07832047 | Not<br>Issued | 161 | 02/06/1992 | PHOTOREACTIVE COMPOUND AND A PHOTOCURABLE RESIN COMPOSITION USING THE SAME  | SATO,<br>HIROYUKI |
| 07858735 | 5262517       | 250 | 03/27/1992 | PRODUCTION PROCESSES OF<br>ARYLENE THIOETHER OLIGOMER<br>AND COPOLYMER  | SATO,<br>HIROYUKI |
| 07875331 | Not<br>Issued | 166 | 04/29/1992 | RESIN FOR BONDING POLYARYLENE<br>SULFIDE AND ADHESIVE   | SATO,<br>HIROYUKI |
| 07920743 | 5605987       | 150 | 07/08/1992 | PRODUCTION PROCESS OF ALKYLENE<br>THIOETHER-ARYLENE THIOETHER<br>COPOLYMER  | SATO,<br>HIROYUKI |
| 07939734 | 5276414       | 150 | II         | MOISTUREPROOF STRUCTURE FOR MODULE CIRCUITS   | SATO,<br>HIROYUKI |
| 07971497 | 5500657       | 150 | 11/03/1992 | AIR-BUBBLE DETECTION APPARATUS<br>OF INK JET RECORDING HEAD, AND<br>METHOD AND APPARATUS FOR<br>RESTORING INK JET RECORDING<br>HEAD | SATO,<br>HIROYUKI |
| 07973621 | 5429832       | 250 | III III    | FEED ADDITIVE COMPOSITION FOR RUMINANTS   | SATO,<br>HIROYUKI |
| 07978374 | Not<br>Issued | 161 | 11/18/1992 | A PHOTOCURABLE RESIN<br>COMPOSITION   | SATO,<br>HIROYUKI |
| 08018250 | Not<br>Issued | 166 | 02/16/1993 | METHOD FOR SUPPLEMENTING<br>AMINO ACID LEVELS IN RUMINANT<br>ANIMALS  | SATO,<br>HIROYUKI |
| 08045099 | 5300297       | 150 | 04/12/1993 | FEED ADDITIVE FOR RUMINANTS   | SATO,<br>HIROYUKI |
| 08058665 | 5444275       | 150 | 05/10/1993 | RADIAL GATE ARRAY CELL  | SATO,             |

|          |         |     |   | HIROYUKI |
|----------|---------|-----|---|----------|
| 08067000 | 5442003 | 150 | PARA-ARAMID DOPE OF LOW DEGREE<br>OF POLYMERIZATION, PARA-ARAMID<br>FIBER AND PARA-ARAMID PULP<br>PRODUCED THEREFROM AND<br>PROCESSES FOR PRODUCING THE<br>SAME |          |

Search and Display More Records.

| ~                        | Last Name | First Name |        |
|--------------------------|-----------|------------|--------|
| Search Another: Inventor | SATO      | HIROYUKI   | Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page